






# INDIANA. N & W 2 P. M.



Township N° XII North, Range N° V West of 2<sup>nd</sup> Meridian. Surveyed by John M<sup>c</sup>Donald 1815

IND

The part within Vincennes Dist. 21. 364. 09

Description of the Soil on the interior Sectional lines.

Between Sections	Quality &c	Between Sections	Quality &c	Between Sections	Quality &c
35.36	Broken land - good soil - Ind. Beech, Sugar, Ash, Maple, Spruce &c	2.33	Broken land - Timber Beech & Sugar - Ind. Spruce	43.4	Broken land - Timber Sugar, Beech, poplar, Ind. maple, Spruce
25.36	Broken land - Timber Oak, Beech, Sugar, Ind. Spruce & Beech	25.34	Same - " Beech, Oak, poplar - " Spruce	4.5	Same - " " " " " Spruce
25.26	Same - " " " " " Spruce	27.34	Same - " Beech, Sugar, Walnut &c - " Spruce	31.32	Level land - Rich soil - Beech, Sugar, Oak - " Spruce
24.25	Same - " " " " " Spruce	27.25	Rolling land - Beech, poplar, Ash, Sugar &c - " Spruce	29.32	Level ground - " Oak, Hackberry, Sugar - " Spruce
23.24	Same - " " " " " Spruce	22.27	Broken land - " Beech, Sugar &c - " Spruce	30.31	Level land - Rich soil - Beech, Sugar, Oak - " Spruce
13.24	Same - " " " " " Spruce	21.22	Same - " " " " " Spruce	29.32	Level ground - " Oak, Hackberry, Sugar &c - " Spruce
13.14	Same - " " " " " Spruce	15.22	Same - " " " " " Spruce	30.31	Level land - " Beech, Sugar, Oak - " Spruce
13.13	Same - " " " " " Spruce	15.16	Same - " " " " " Spruce	29.32	Level ground - " Oak, Hackberry, Sugar &c - " Spruce
11.12	Same - " " " " " Spruce	10.15	Same - " " " " " Spruce	30.31	Level land - " Beech, Sugar, Oak - " Spruce
1.12	Same - " " " " " Spruce	7.10	Same - " " " " " Spruce	29.32	Level ground - " Oak, Hackberry, Sugar &c - " Spruce
1.2	Same - " " " " " Spruce	3.10	Level ground - " Walnut, Sugar, Beech, Poplar &c - " Spruce	19.30	Level land - " Beech, Sugar, Walnut &c - " Spruce
35.35	Broken land - Rich soil - Beech, Sugar &c - Ind. Spruce	3.4	Same - " " " " " Spruce	19.20	Broken land - " Beech, Oak, Sugar &c - " Spruce
25.35	Same - " " " " " Spruce	32.33	Broken land - " Beech, Sugar, poplar &c - " Spruce	17.26	Level land - " Beech, Sugar, poplar &c - " Spruce
25.27	Same - " " " " " Spruce	28.33	Level land - " Beech, Sugar &c - " Spruce	13.19	Level land - " Beech, Oak &c - " Spruce
23.26	Same - " " " " " Spruce	28.25	Same - " " " " " Spruce	8.17	Broken land - " Beech, Sugar, poplar &c - " Spruce
22.25	Same - " " " " " Spruce	21.25	Broken land - " Beech, Sugar &c - " Spruce	7.18	Same - " " " " " Spruce
11.23	Same - " " " " " Spruce	20.21	Level land - " Beech, Sugar, Walnut - " Spruce	7.8	Level - rich land - " Sugar, Beech, poplar, Ind. maple, Spruce
14.15	Same - " " " " " Spruce	16.21	Level ground - " Walnut, Sugar &c - " Spruce	5.8	Broken land - " Beech, Sugar &c - " Spruce
11.14	Same - " " " " " Spruce	16.17	Level land - " Beech, Sugar, poplar &c - " Spruce	6.7	Same - " " " " " Spruce
10.11	Same - " " " " " Spruce	9.16	Level ground - " Beech, Sugar, Walnut &c - " Spruce	5.6	Same - " " " " " Spruce
2.11	Same - " " " " " Spruce	3.1	Broken land - Beech, Sugar, poplar - " Spruce		




Township N. 12 North, Range N. 3 West of 1<sup>st</sup> Meridian Interior Section Corners described Interior Quarter Section Corners continued

Posts	Bearing, feet	Inches	Courses	Feet	Quality of the Soil	From To	Bearing, feet	Inches	Courses	Feet
A Sugar	3 S 20 W 5					25.26.35.36	Sugar	18 S 33 E 3		
a W. Oak	40 N 20 E 26						Sugar	5 S 15 W 10		
B Beech	24 S 84 E 20					23.24.25.26	Beech	12 S 44 E 27		
b do	6 N 45 W 13						Sugar	14 S 84 W 35		
C Elm	6 S 30 E 5					13.14.23.24	do	20 S 30 W 28		
c Beech	12 S 21 E 29						Sugar	12 S 72 E 26		
D d. Elder	6 S 60 E 27					11.12.13.14	do	12 S 10 W 30		
d Maple	8 S 22 E 18						do	8 S 19 E 60		
E Walnut	6 S 57 W 16					1.2.11.12	Sugar	14 S 20 E 10		
e Sugar	20 N 72 E 14						do	12 S 20 E 8		
F Beech	10 S 1 E 15					24.27.34.35	Beech	14 S 33 W 22		
f do	10 S 11 E 14						do	12 S 59 E 14		
G Beech	6 N 28 E 37					12.23.24.27	Sugar	24 S 37 E 14		
g Gum	12 S 45 W 37						do	16 S 12 E 14		
h Beech	10 S 13 E 15					11.13.22.23	Sugar	16 S 12 E 14		
i Sugar	12 S 47 W 30						do	24 S 12 E 14		
H Beech	14 S 5 W 52					10.11.14.15	Beech	15 S 20 E 33		
h Beech	12 N 3 E 22						do	8 S 46 W 26		
i Sugar	12 S 35 W 18					2.3.10.11	Beech	24 S 33 W 20		
I Hickory	15 S 22 W 33						do	12 S 63 E 32		
i Post in creek no bearings						27.28.33.34	Sugar	10 S 30 W 20		
R Beech	13 S 37 E 28					21.22.27.28	Beech	30 S 83 E 18		
R to L. Sweet Beech land.							do	10 S 53 E 20		
L Beech	12 S 35 E 21					15.16.21.22	Beech	15 S 30 E 17		
L to M. Same							do	15 S 30 E 17		
M Beech	10 S 73 E 19					9.12.15.16	Buckeye	6 S 10 W 20		
M to N. Same							do	10 S 10 W 20		
N Beech	16 S 5 E 15					23.1.9.10	Buckeye	10 S 10 W 20		
N to O. Good beech land.							do	12 S 7 W 4		
O Beech	16 S 31 W 21					28.29.32.33	Beech	26 S 19 E 20		
O to P. Sweet land. Beech.							do	15 S 14 W 30		
P Beech	16 S 27 W 6					10.17.20.21	Hickory	20 S 12 E 11		
P to Q. Same							do	5 S 14 W 9		
Q Beech	16 S 16 E 31					5.9.16.17	Maple	14 S 28 W 48		
Q to R. Same							do	15 S 57 E 7		
R Beech	18 S 52 W 37					4.5.8.9	Beech	15 S 55 W 32		
R to S. Same							do	24 S 82 E 18		
S Beech	16 S 75 E 43					29.30.31.32	W. Oak	15 S 68 E 7		
S to T. Rich land. timber.							do	30 S 4 W 31		
T Beech	15 S 45 E 2					19.20.24.30	Beech	12 S 12 E 26		
T to U. Same							do	13 S 20 W 36		
U Beech	15 S 22 W 26					7.18.19.20	Beech	12 S 70 E 13		
U to V. Same							do	14 S 50 W 2		
V Beech	15 S 45 E 2					7.8.17.18	Beech	20 S 30 W 20		
V to W. Same							do	21 S 84 E 42		
W Beech	15 S 21 W 20					5.6.7.8	Sugar	10 S 10 E 18		
W to X. Rich land. timber.							do	5 S 54 W 12		
X Beech	16 S 35 E 17									
X to Y. Same										
Y Beech	30 S 35 E 17									
Y to Z. Same										
Z Beech	30 S 7 E 19									
Z to A. Same										
A Beech	16 S 18 E 37									
Anterior Quarter Section Corners described										
From To	Bearing, feet	Inches	Courses	Feet						
M to U	1. Beech	11	South	13						
U to V	2. Sugar	5	N 40	W 17						
V to W	3. Beech	20	S 55	E 15						
W to X	4. Ash	15	S 45	W 19						
X to Y	5. Gum	10	S 55	E 10						
Y to Z	6. Beech	15	S 30	W 31						
Z to A	7. Beech	14	S 55	W 12						
A to B	8. do	10	S 30	E 30						
B to C	9. Hickory	14	S 2	E 27						
C to D	10. Beech	12	S 50	W 40						
D to E	11. W. Oak	24	S 1	E 3						
E to F	12. do	24	S 55	E 3						
F to G	13. Beech	16	S 35	W 27						
G to H	14. do	15	S 70	W 17						
H to I	15. Beech	12	S 75	E 24						
I to J	16. do	24	S 72	W 36						
J to K	17. Sugar	15	S 1	E 26						
K to L	18. do	10	S 15	E 5						
L to M	19. Beech	14	S 33	E 53						
M to N	20. do	14	S 53	W 38						
N to O	21. do	14	S 42	E 6						
O to P	22. do	13	S 59	E 16						
P to Q	23. Gum	10	S 54	W 31						
Q to R	24. Sugar	20	S 57	E 31						
R to S	25. Beech	24	S 37	W 10						
S to T	26. do	20	S 63	E 6						
T to U	27. do	15	S 50	W 20						
U to V	28. do	36	S 61	E 12						
V to W	29. Beech	18	S 6	W 33						
W to X	30. Beech	10	S 64	W 3						
X to Y	31. do	20	S 8	E 30						
Y to Z	32. do	20	S 8	E 30						
Z to A	33. do	20	S 8	E 30						
Anterior Quarter Section Corners continued										
From To	Bearing, feet	Inches	Courses	Feet						
11 + 2	Sugar	12	S 21 W	9						
12 + 11	Beech	10	S 15 E	7						
2 + 3	Beech	12	S 1 E	36						
4	W Oak	12	S 59 E	15						
5	Beech	12	S 85 W	16						
6	do	12	S 61 E	20						
7	do	6	W 10	26						
8	do	4	S 28 E	35						
9	Post not set									



A Copy Notation on back of plat  
 June 20th A.D. 1815 Edward Tiffin Sur Gen

**INDIANA.**  
**N & W 2 P. M.**



Cont'd on the back of plat  
 E. Tiffin


Township N. 12. North, Range N. 5 West, 2nd Meridian

Pursuant to a contract with & instructions from Irish Mays, Surveyor General of the United States, bearing date the 2<sup>d</sup> day of March 1814. I have accompanied him out & surveyed the above described Fractional Township & do hereby certify that it has such marks & boundaries both natural & artificial as are represented on said plat & described in the field notes made thereof & returned with this plat into the Surveyor General's Office

John Mc Donald



# Township N<sup>o</sup> XII North, R. N<sup>o</sup> V West of 2<sup>d</sup> S



Total quantity

1343.06

7548  
6345  
13996

INDIANA.  
N & W 2 P. M.

Description of T. 12 N. R. 5 W. of 2 Meridian:

3862 12005

Corner Sec. 1, 2, 11.

Corners on Old Indian boundary

Posts	Begin	End	Course	Dist.
1	Sugar	12	S 21 W	19
	Beech	11	S 15 E	7
2	Beech	12	S 1 E	36
	do	18	N 59 E	15
3	W. Oak	12	N 85 W	16
	Beech	12	S 61 E	28
4	not established			
5	Beech	4	West	26
	do	4	S 28 E	35

Posts				
B	Sugar	20	N 72 E	14
	Walnut	6	N 57 W	16
12	Sugar	14	S 21 W	10
	Beech	12	S 20 E	9
F	Beech	10	S 1 E	15
	Do	10	N 19 E	14
n	Beech	4	N 59 W	15
	Dogwood	4	S 20 E	25
H	Beech	12	N 5 E	22
	Do	14	S 5 W	50
O.P.R.	Sugar	10	N 43 W	30
	W. Thorn	10	East	12
	Land generally Broken			


A true copy from the Original on file in this Office.

Surveyor General's Office. March 20<sup>th</sup> 1820-

Edward Tiffin, m.



*Township N<sup>o</sup> 12 North, Range N<sup>o</sup> 5 West, 2<sup>nd</sup> Mer.*



Surveyed in 1815 by John McDonald Deputy Surveyor.


I certify that the above is a true copy of the  
recorded plat, in this Office.

Surveyor General's Office,  
Cincinnati, Sept. 9, 1837.

*[Signature]*  
Sur. Genl.



T 12 N. R. 5 W 2nd Mer. ✓



see Plat Vol 6 p 43. S.E.

The foregoing subdivisions of fractional sections are  
truly Copied from the Original plat in this office.  
Surveyor General's Office } M. T. Williams  
Cincinnati July 20. 1834. } Srs. Genl.

Compare



5 12<sup>th</sup> R. 5 1/2<sup>th</sup> Sec. 16


1 40.00			
2 40.50			
3 34.98	4 6772		
		2 40.00	1 40.00
		3 37.12	4 40.00
			5 27.40

2015, Indiana Vol 5, 16

12

The foregoing subdivisions of fractional sections  
are hereby copied from the original plat in this office  
Surveyor General's office.  
Cincinnati Nov 27<sup>th</sup> 1833.  
M. T. Williams  
Sur. Genl.






Comp.

The foregoing subdivisions of fractional sections are truly  
 Copied from the ~~following~~ Original plat in this Office.  
 Surveyor General's Office  
 Cincinnati Nov. 27. 1833

M. T. Williams  
 Sur. Genl.






Township 12 North, Range 5 West, 2nd Meridian

Pursuant to a contract with & instructions from Josiah Meigs, Surveyor General of the United States bearing date the 2<sup>d</sup> of March 1815, I have accompanied laid out & surveyed the above described fractional



# Township N<sup>o</sup> XII North, R. N<sup>o</sup> V West of 2<sup>d</sup> Meridian



## Description of T. 12 N. R. N<sup>o</sup> 5<sup>th</sup> W. of 2<sup>d</sup> Meridian.

Corners on Old Indian boundary				
Posts	Bearing	Distance	Notes	Remarks
1	Sugar	12	S 21 W 9	
2	Beech	11	S 15 E 7	
3	Beech	12	S 1 E 36	
4	do	18	N 59 E 15	
5	W. Oak	12	N 85 W 16	
6	Beech	12	S 41 E 20	
7	Not established			
8	Beech	6	W 15 E 26	
9	do	4	S 28 E 35	Land generally Broken

Posts				
E	Sugar	20	N 72 E	11
	Holmuts	6	N 57 W	16
12	Sugar	14	S 21 W	10
	Buck	12	S 20 E	9
F	Buck	10	S 1 E	15
	Do	10	N 19 E	14
n	Buck	4	N 59 W	13
	Dogwood	4	S 20 E	25
H	Buck	12	N 5 E	22
	Do	14	S 15 W	50
On F	Sugar	10	N 45 W	30
	W. Thorn	10	East	13

A true copy from the original, on file in this Office.  
 Surveyor General's Office, March 2<sup>d</sup> 1820

Samuel T. Allen